Duplicate Receipt

Bangalore Electricity Supply Company Limited
C8 SAHAKARANAGARA

Receipt No :265953407346
Receipt Date :02-04-2018 15:19:32
Cash Counter :BESCOM - C8 SDO Cash Counter
Account ID :2659534748
Person Name :AEE BBMP
Total Payment:Rs8,160.00
Payment Mode :Cash
Purpose :2MMD/ISD (48.101)
Eight Thousand One Hundred Sixty Rupees Only

---------- THANK YOU ----------

Verified
2/4/18

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/5378072443/06-03-2018

Office of
Assistant Executive Engineer
C8 SAHAKARANAGARA
BESCOM
DATE: 06-03-2018

To,
AEE BBMP,
Byatarayanapura
LNT compound ayyappa temple road.
~~NEAR AMRUTHAHALLI SCHOOL, AMRUTHAHALLI(V)~~

BANGALORE KARNATAKA
560092

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:867560181021 Dated: 24-02-2018
2) Account ID : 2659534748
3) Prevailing KERC regulations.

With reference to your Application No. **867560181021 Dated: 24-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **2659534748** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) C8 SAHAKARANAGARA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	**₹8160.00**
2.	MSD Amount	**₹0.00**
3.	Infrastructure Charges	**₹0.00**
4.	Service Line Cost(Development Charge)	**₹0.00**
5.	Additional Development /Service Line Charges	**₹0.00**
	Total	**₹8160.00**

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to 0 KVA of the TC located at

c) After erecting new 0 KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C8 SAHAKARANAGARA

BESCOM

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BESCOM

Address Amruthmi ay
4m 3m

GSTIN :

BILL No. **YNK/18/** 02940

DATE : 06/06/18 TIME : 12-30 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3ph C766958	01	1466.62	1466.	62

BESCOM DVN : C8

W.O. No. Z. 22815 Date 06/04/18

Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty Rupees and

CGST @ 9%	132.	+
SGST @ 9%	132.	+
GRAND TOTAL	1730.	62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 869

Date : 4-05-2018

1. Customer's Name and Address with Telephone No. : WARD NO 7 B.T. pura Subdivision

2. Well Location : Byatarayanapura Ayyappa Temple Road

3. Total Well Depth / Drilled in Ft. : 980'

4. Casing Erected in Ft. : 230-290'

5. Water Struck at the Depth of : 700'

6. Total Yield (Measuring method "V" Norch : 2½ / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Loose Soil

8. At the Depth of : 980.

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

GR

Party's Signature

~~Manager~~ / Proprietor

Kawthy

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :.19/01/18.....

REPORT ON GROUND WATER INVESTIGATION

Name AEE, Dyavarayanpura Division BBMP.

Address Ward # 7. Jalahalli Nagara BBMP.

Location Byatarayanapura Ayyappa Swamy temple Road.

Topography —

Soil Type OK.

Rock Type Hard

Nos. 1

RECOMMENDATIONS

Depth 800 - 1000

Casing 80 - 100

Yield VPH - 1000 - 1500

Aquifers OK.

Remarks Dry area go for long Depth 10" P.V.C.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

04

Duplicate Receipt

Bangalore Electricity Supply Company Limited
C8 SAHAKARANAGARA

Receipt No :410231467448
Receipt Date :02-04-2018 15:19:32
Cash Counter :BESCOM - C8 SDO Cash Counter
Account ID :4102314257
Person Name :AEE BBMP
Total Payment:Rs8,160.00
Payment Mode :Cash
Purpose :2MMD/ISD (48.101)
Eight Thousand One Hundred Sixty Rupees Only

---------- THANK YOU ----------

Verified
2/4/18

C8P829

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/9676604473/06-03-2018

Office of
Assistant Executive Engineer
C8 SAHAKARANAGARA
BESCOM
DATE: 06-03-2018

To,
AEE BBMP,
DODDAMMA MAHESHWARAMA TEMPLE,BYATARAYANAPUAR

BANGALORE KARNATAKA
560092

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:272536537606 Dated: 24-02-2018
2) Account ID : 4102314257
3) Prevailing KERC regulations.

With reference to your Application No. **272536537606 Dated: 24-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **4102314257** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	0 KW and 10 HP
3	Total Load	7.46 KW

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) C8 SAHAKARANAGARA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	₹8160.00
2.	MSD Amount	₹0.00
3.	Infrastructure Charges	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00
5.	Additional Development /Service Line Charges	₹0.00
	Total	₹8160.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

1. Five nos. of Compact Fluorescent Lamps shall be used for each installation

2. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C8 SAHAKARANAGARA

BESCOM

(3)

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE SDMP
Address B.T. Pura W
Yan
S.L
GSTIN :

BILL No. **YNK/18/** 02935

DATE : 06/06/18 TIME : 12.12 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos. 3Ph C766468	01	1466.62	1466.	62

BESCOM DVN : CS

W.O. No. Z.22813 Date 06/04/18

Total Invoice Value (In Words) : One Thousand Seven hundred Thirty Seven Rupees

CGST @ 9%	132.	00
SGST @ 9%	132.	00
GRAND TOTAL	1730.	62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 870 Date : 3-05-2018

1. Customer's Name and Address with Telephone No. : Ward No 7 B.T. Pura Sub division

2. Well Location : Byatarayanapura Doddama Temple. Near Rama Mandir Temple

3. Total Well Depth / Drilled in Ft. : 910'

4. Casing Erected in Ft. : 280-300

5. Water Struck at the Depth of : 300

6. Total Yield (Measuring method "V" Norch : 9½ / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Loose Soil

8. At the Depth of : 910

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

GR

Party's Signature

~~Manager~~ / Proprietor

Water Diviner

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

ಸಮೃದ್ಧಿ

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :....19/01/18

REPORT ON GROUND WATER INVESTIGATION

Name AFF, Byatarayana pura Division BBMP.

Address Ward #-7, Sahakaranagara BBMP office

Location Byatarayanapura Doddamma temple.

Topography —

Soil Type OK.

Rock Type Hard

Nos. 1

RECOMMENDATIONS

Depth 800 - 1000

Casing 80 - 100

Yield OK. YPH - 1000 - 1500

Aquifers OK.

Remarks Dry area go for long Depth 10" Bore.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

(1)

Duplicate Receipt

Bangalore Electricity Supply Company Limited
C8 SAHAKARANAGARA

Verified

Receipt No :420057979141
Receipt Date :02-04-2018 15:19:32
Cash Counter :BESCOM - C8 SDO Cash Counter
Account ID :4200579290
Person Name :AEEM BBMP
Total Payment:Rs8,160.00
Payment Mode :Cash
Purpose :2MMD/ISD (48.101)
Eight Thousand One Hundred Sixty Rupees Only

---------- THANK YOU ----------

CEP830

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/7635267367/06-03-2018

Office of
Assistant Executive Engineer
C8 SAHAKARANAGARA
BESCOM
DATE: 06-03-2018

To,
AEEM BBMP,
NEAR BBMP OFFICE,SNK

BANGALORE KARNATAKA
560092

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:234773977413 Dated: 24-02-2018
2) Account ID : 4200579290
3) Prevailing KERC regulations.,

With reference to your Application No. **234773977413 Dated: 24-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **4200579290** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) C8 SAHAKARANAGARA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	₹8160.00
2.	MSD Amount	₹0.00
3.	Infrastructure Charges	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00
5.	Additional Development /Service Line Charges	₹0.00
	Total	₹8160.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully,

Assistant Executive Engineer

C8 SAHAKARANAGARA

BESCOM

(1)

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BSMP

Address Near BSMP Office
BLR

GSTIN :

BILL No. **YNK/18/** 02934

DATE : 06/06/18 TIME : 12.10 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3Phs C766467	01	1466.62	1466.	62

BESCOM DVN : C.8	CGST @ 9%	132.	00
W.O. No. Z-22811 Date 06/04/18	SGST @ 9%	132.	00
Total Invoice Value (In Words) : One Thousand Seven hundred Thirty Seven &	**GRAND TOTAL**	1730.	62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

Water Diviner

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 867

Date : 06-05-2018

1. Customer's Name and Address with Telephone No. : WARD NO 7. Byatarayanapura DIVISON BBMP.
2. Well Location : BBMP WARD NO 7 OFFICE - INSide.
3. Total Well Depth / Drilled in Ft. : 900'
4. Casing Erected in Ft. : 250-300
5. Water Struck at the Depth of : 600
6. Total Yield (Measuring method "V" Norch : 2 1/2" / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Loose Soil
8. At the Depth of : 900'
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / Proprietor

Kantha.

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date : 19/01/18

REPORT ON GROUND WATER INVESTIGATION

Name AEE Byatarayanapura Division BBMP.

Address Ward #7, Sahakaranagara BBMP office Byatarayanapura Bangalore.

Location Ward office.

Topography

Soil Type

Rock Type Hard

Nos. 1

RECOMMENDATIONS

Depth 800 – 1000

Casing 80 - 100

Yield Y.P.H - 1000 – 1500

Aquifers Ok.

Remarks Dry area go for long Depth 10" P.V.C.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha.

Water Diviner

(2)

Duplicate Receipt

Bangalore Electricity Supply Company Limited
C8 SAHAKARANAGARA

Receipt No :842396912039
Receipt Date :02-04-2018 15:19:32
Cash Counter :BESCOM - C8 SDO Cash Counter
Account ID :8423969156
Person Name :AEE BBMP
Total Payment:Rs8,160.00
Payment Mode :Cash
Purpose :2MMD/ISD (48.101)
Eight Thousand One Hundred Sixty Rupees Only

---------- THANK YOU ----------

Verified
2/4/18

C8P831

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/7877202497/06-03-2018

Office of
Assistant Executive Engineer
C8 SAHAKARANAGARA
BESCOM
DATE: 06-03-2018

To,
AEE BBMP,
E BLOCK PARK,SNK

BANGALORE KARNATAKA
560092

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: **1) Application No:562027015438 Dated: 24-02-2018**
2) Account ID : 8423969156
3) Prevailing KERC regulations.

With reference to your Application No. **562027015438 Dated: 24-02-2018**, power supply to an extent of **0 KW** and **10 HP** on Account ID **8423969156** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of **The Assistant Executive Engineer (EI) C8 SAHAKARANAGARA, BESCOM** within 30 days from the date of this letter:

Sl. No.	Particulars	Amount
1.	2 MMD to be for 1 Nos (of **0 KW** and **10 HP**) installation	₹8160.00
2.	MSD Amount	₹0.00
3.	Infrastructure Charges	₹0.00
4.	Service Line Cost(Development Charge)	₹0.00
5.	Additional Development /Service Line Charges	₹0.00
	Total	₹8160.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters _____Nos.

b) Three Phase Meters _____Nos.

c) ETV Meters _____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

per the Govt. Order, solar water heaters of suitable capacity shall be provided

ive nos. of Compact Fluorescent Lamps shall be used for each installation

The metering equipment to be installed should be conspicuously visible and at the main entrance to the emises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

C8 SAHAKARANAGARA

BESCOM

(2)

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BBMP
Address E BK
Sub
J.C
GSTIN :

BILL No. **YNK/18/** 02933
DATE : 06/06/18 TIME : 12.05 AM/PM
GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3ph C766466	01	1466.62	1466.	62
	BESCOM DVN : C.S W.O. No. 2.12806 Date 06/04/18 Total Invoice Value (In Words) : One Thousand Seven hundred Thirty Only Seven Paise.		CGST @ 9%	132.	00
			SGST @ 9%	132.	00
			GRAND TOTAL	1730.	62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 868

Date : 5-05-2018

1. Customer's Name and Address with Telephone No. : WARD NO 7 Byatarayapura DIVISION

2. Well Location : SAHAKARNAGAR PARK.

3. Total Well Depth / Drilled in Ft. : 930'

4. Casing Erected in Ft. : 250-290

5. Water Struck at the Depth of : 550'

6. Total Yield (Measuring method "V" Norch : 2½" / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Loose Soil

8. At the Depth of : 930'

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :19/01/18

REPORT ON GROUND WATER INVESTIGATION

Name: AEE Byatarayanapura Division BBMP.

Address: Ward #7, Sahakaranagara BBMP office Byatarayanapura Bangalore.

Location: Sahakaranagara park.

Topography:

Soil Type:

Rock Type: Hard

Nos. 1

RECOMMENDATIONS

Depth: 800 - 1000

Casing: 80 - 100

Yield: HP H. 1000 - 1500

Aquifers: OIC

Remarks: Dry area go for long Depth 10" P.V.C.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 961

Date : 12-05-2018

1. Customer's Name and Address with Telephone No. : WARDNOT Byatarayanpura Circle

2. Well Location : Muniswamy GPADA Layout.

3. Total Well Depth / Drilled in Ft. : 1100'

4. Casing Erected in Ft. : 20-300

5. Water Struck at the Depth of : NO

6. Total Yield (Measuring method "V" Norch : 2 1/2 / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Silt Failure.

8. At the Depth of : 1100'

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :.08/02/18...

REPORT ON GROUND WATER INVESTIGATION

Name AEE, Byatarayanapura Division BBMP.

Address Ward #-7, Sahakaranagara BBMP. Ward office.

Location Muniswamy Gowda Layout.

Topography ✓

Soil Type Dry

Rock Type Hard

Nos. 1

RECOMMENDATIONS

Depth 800 - 1000

Casing 80 - 100

Yield 1000 - 1500

Aquifers 01 Nos.

Remarks Dry area go for long depth 10" P.V.C.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 960

Date : 16-05-2018

1. Customer's Name and Address : WARD NO 7 Byatarayanapura Layout
   with Telephone No.
2. Well Location : Coffee board Layout.
3. Total Well Depth / Drilled in Ft. : 1100'
4. Casing Erected in Ft. : 250'-300'
5. Water Struck at the Depth of : NIL
6. Total Yield (Measuring method "V" Norch : 2½ / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Silt
8. At the Depth of : 1100' Failed.
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

#46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date : 18/03/18

REPORT ON GROUND WATER INVESTIGATION

Name: AEE, Byatarayanapura Division BBMP.

Address: Ward #7, BBMP Ward office Yelahanka

Location: Coffee Board Layout Part.

Topography: —

Soil Type: Dry

Rock Type: HARD

Nos. 1

RECOMMENDATIONS

Depth: 800 - 1000.

Casing: 80 - 100

Yield: 1000 - 1600

Aquifers: o/k

Remarks: Dry area go for long depth 10" P.V.C.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 963 Date : 7-05-2018

1. Customer's Name and Address : WARD NO 7. BT. pura Subdivision
   with Telephone No.
2. Well Location : Amrathali Maramma Temple.
3. Total Well Depth / Drilled in Ft. : 1050'
4. Casing Erected in Ft. : 240-800
5. Water Struck at the Depth of :
6. Total Yield (Measuring method "V" Norch : 2½" / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Boulder Fairly
8. At the Depth of : 1050'
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date : 21/01/18

REPORT ON GROUND WATER INVESTIGATION

Name: AKK, Byatarayanapura Division BBMP.

Address: Ward #7, Ward office Sahakaranagara BBMP

Location: Amruthalli Maramma Temple.

Topography: —

Soil Type: Dry

Rock Type: HARD.

RECOMMENDATIONS

Nos. 1

Depth: 800 – 1000

Casing: 80 – 100

Yield: ½ DH – 1000 – 1800

Aquifers: O/C

Remarks: Dry area go for long depth bore well p.w.c.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 962 Date : 10-05-2018

1. Customer's Name and Address : WARD NO 7 BT pwd Sub divison.
   with Telephone No.
2. Well Location : Hebbal cranotorium WARD NO 7.
3. Total Well Depth / Drilled in Ft. : 1100'
4. Casing Erected in Ft. : 250-300'
5. Water Struck at the Depth of : No
6. Total Yield (Measuring method "V" Norch : 2½ / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Silt Failure.
8. At the Depth of : 1100'
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date :..13/02/18.....

REPORT ON GROUND WATER INVESTIGATION

Name AEE, Byatarayanapura Division BBMP

Address Ward #-7 BBMP Ward office
Sahakar-nagara.

Location Hebbal Crematorium

Topography —

Soil Type Dry

Rock Type HARD

Nos. 1

RECOMMENDATIONS

Depth 800 - 1300

Casing 90 - 130

Yield 1000 - 1500

Aquifers Clc

Remarks Dry area go for long depth 10" p.v.c.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 966

Date : 1-05-2018

1. Customer's Name and Address : WARNOT. B.E. pura Sub Division
   with Telephone No.
   Jakkur Circle. Near Revenue.
2. Well Location : OFFICE.
3. Total Well Depth / Drilled in Ft. : 950
4. Casing Erected in Ft. : 250-300
5. Water Struck at the Depth of : 290
6. Total Yield (Measuring method "V" Norch : 2½ / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Loose soil
8. At the Depth of : 900
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / Proprietor

Kamathy

Water Diviner

ಸಮೃದ್ಧಿ

॥ ಶ್ರೀ ಗಂಗಮ್ಮ ಕೃಪಾ ॥

Smt. Kavitha Singh
Mob : 9964702826

Samrudhi Ground Water Consultant

46, Gangamma Temple Street, Near Gangamma Temple, Malleshwaram, Bangalore-03.

Ref. :.....

Date : 21/01/18

REPORT ON GROUND WATER INVESTIGATION

Name AKL, Byatarayanapura Division BBMP

Address Ward # 7, Lakshmarayanapura Ward office BBMP

Location Jakkur circle near revenue office.

Topography ✓

Soil Type Dry.

Rock Type Hard

Nos. 1

RECOMMENDATIONS

Depth 800 - 1000

Casing 80 - 100

Yield 0 YPH 1000 - 1800

Aquifers O.K.

Remarks Dry area go for long Depth 10" pvc.

Note : The Survey was carried out by this divining / Geophysical method of Surveying is with our good knowledge and experience, However no guarantee of water will be given

ನೀರು ಅತ್ಯಮೂಲ್ಯ, ಅದನ್ನು ಸಂರಕ್ಷಿಸಿ... Water is precious, Conserve it... ಗಿಡ ಬೆಳೆಸಿ, ಮರಗಳನ್ನು ಉಳಿಸಿ

Smt. Kavitha Singh

Kavitha

Water Diviner